

## **Unit 8, Lesson 15: Infinite Decimal Expansions**

Let's think about infinite decimals.

#### 15.1: Searching for Digits

The first 3 digits after the decimal for the decimal expansion of  $\frac{3}{7}$  have been calculated. Find the next 4 digits.

#### 15.2: Some Numbers Are Rational

Your teacher will give your group a set of cards. Each card will have a calculations side and an explanation side.

1. The cards show Noah's work calculating the fraction representation of  $0.4\overline{85}$ . Arrange these in order to see how he figured out that  $0.4\overline{85} = \frac{481}{990}$  without needing a calculator.

- 2. Use Noah's method to calculate the fraction representation of:
  - a.  $0.1\overline{86}$

b.  $0.7\overline{88}$ 

#### Are you ready for more?

Use this technique to find fractional representations for  $0.\overline{3}$  and  $0.\overline{9}$ .


### 15.3: Some Numbers Are Not Rational

1. a. Why is  $\sqrt{2}$  between 1 and 2 on the number line?

b. Why is  $\sqrt{2}$  between 1.4 and 1.5 on the number line?

c. How can you figure out an approximation for  $\sqrt{2}$  accurate to 3 decimal places?

d. Label all of the tick marks. Plot  $\sqrt{2}$  on all three number lines. Make sure to add arrows from the second to the third number lines.




2. a. Elena notices a beaker in science class says it has a diameter of 9 cm and measures its circumference to be 28.3 cm. What value do you get for  $\pi$  using these values and the equation for circumference,  $C = 2\pi r$ ?

b. Diego learned that one of the space shuttle fuel tanks had a diameter of 840 cm and a circumference of 2,639 cm. What value do you get for  $\pi$  using these values and the equation for circumference,  $C = 2\pi r$ ?



c. Label all of the tick marks on the number lines. Use a calculator to get a very accurate approximation of  $\pi$  and plot that number on all three number lines.



d. How can you explain the differences between these calculations of  $\pi$ ?

### **Lesson 15 Summary**

Not every number is rational. Earlier we tried to find a fraction whose square is equal to 2. That turns out to be impossible, although we can get pretty close (try squaring  $\frac{7}{5}$ ). Since there is no fraction equal to  $\sqrt{2}$  it is not a rational number, which is why we call it an irrational number. Another well-known irrational number is  $\pi$ .

Any number, rational or irrational, has a decimal expansion. Sometimes it goes on forever. For example, the rational number  $\frac{2}{11}$  has the decimal expansion 0.181818... with the 18s repeating forever. Every rational number has a decimal expansion that either stops at some point or ends up in a repeating pattern like  $\frac{2}{11}$ . Irrational numbers also have infinite decimal expansions, but they don't end up in a repeating pattern. From the decimal point of view we can see that rational numbers are pretty special. Most numbers are irrational, even though the numbers we use on a daily basis are more frequently rational.

# **Unit 8, Lesson 15: Infinite Decimal Expansions**

1. Elena and Han are discussing how to write the repeating decimal  $x=0.13\overline{7}$  as a fraction. Han says that  $0.13\overline{7}$  equals  $\frac{13764}{99900}$ . "I calculated  $1000x=137.77\overline{7}$  because the decimal begins repeating after 3 digits. Then I subtracted to get 999x=137.64. Then I multiplied by 100 to get rid of the decimal: 99900x=13764. And finally I divided to get  $x=\frac{13764}{99900}$ ." Elena says that  $0.13\overline{7}$  equals  $\frac{124}{900}$ . "I calculated  $10x=1.37\overline{7}$  because one digit repeats. Then I subtracted to get 9x=1.24. Then I did what Han did to get 900x=124 and  $x=\frac{124}{900}$ ."

Do you agree with either of them? Explain your reasoning.

2. How are the numbers 0.444 and  $0.\overline{4}$  the same? How are they different?

3. a. Write each fraction as a decimal.

i. 
$$\frac{2}{3}$$

ii. 
$$\frac{126}{37}$$

b. Write each decimal as a fraction.

i. 
$$0.\overline{75}$$

ii. 
$$0.\overline{3}$$

4. Write each fraction as a decimal.

a. 
$$\frac{5}{9}$$

- b.  $\frac{5}{4}$
- c.  $\frac{48}{99}$
- d.  $\frac{5}{99}$
- e.  $\frac{7}{100}$
- f.  $\frac{53}{90}$

5. Write each decimal as a fraction.

- a.  $0.\overline{7}$
- b.  $0.\overline{2}$
- c.  $0.1\overline{3}$
- $d.\ 0.\overline{14}$
- e.  $0.\overline{03}$
- f.  $0.6\overline{38}$
- g.  $0.52\overline{4}$
- h.  $0.1\overline{5}$

6.  $2.2^2 = 4.84$  and  $2.3^2 = 5.29$ . This gives some information about  $\sqrt{5}$ .

Without directly calculating the square root, plot  $\sqrt{5}$  on all three number lines using successive approximation.

