


Lesson 3

Objective: Name numbers within 1 million by building understanding of the place value chart and placement of commas for naming base thousand units.

Related Topics: [More Lesson Plans for the Common Core Math](#)

Suggested Lesson Structure

■ Fluency Practice	(15 minutes)
■ Application Problem	(6 minutes)
■ Concept Development	(32 minutes)
■ Student Debrief	(7 minutes)
Total Time	(60 minutes)



Fluency Practice (15 minutes)

- Multiply by 3 **3.OA.7** (10 minutes)
- Place Value and Value **4.NBT.2** (3 minutes)
- Base Ten Units **4.NBT.1** (2 minutes)

Sprint: Multiply by 3 (10 minutes)

Materials: (S) Multiply by 3 Sprint

Note: This fluency will review a foundational third grade standard that will help students learn standard **4.NBT.5**.

Place Value and Value (3 minutes)

Note: Reviewing and practicing place value skills in isolation will prepare students for success in multiplying different place value units during the lesson.

T: (Project the number 1,468,357 on a place value chart. Underline the 5.) Say the digit.

S: 5.

T: Say the place value of the 5.

S: Tens.

T: Say the value of 5 tens.

S: 50.



A NOTE ON STANDARDS ALIGNMENT:

In this lesson, students extend past 1 million (**4.NBT** standards limit whole numbers less than or equal to 1 million) to establish a pattern of ones, tens, and hundreds within each base ten unit (thousands, millions, billions, trillions).

Calculations in following lessons are limited to less than or greater than 1 million.

If your students are not ready for this step, you might omit establishing the pattern, yet eternalize the units of base thousand.

Repeat process, underlining 8, 4, 1, and 6.

Base Ten Units (2 minutes)

Note: This fluency will bolster students’ place value proficiency while reviewing multiplication concepts learned in Lessons 1 and 2.

T: (Project 2 tens = ____.) Say the number in standard form.

S: 2 tens = 20.

Repeat for possible sequence: 3 tens, 9 tens, 10 tens, 11, tens, 12 tens, 19 tens, 20 tens, 30, tens, 40 tens, 80 tens, 84 tens, and 65 tens.

Application Problem (6 minutes)

The school library has 10,600 books.
The town library has 10 times as many books.
How many books does the town library have?

Note: This application problem builds on the concept from the previous lesson of determining 10 times as much as a number.

The town library has 106,000 books.
(1 ten thousand 6 hundred) × 10 = 1 hundred thousand 6 thousands = 106,000

Concept Development (32 minutes)

Materials: (S) Personal white boards with million-place value chart outline template

Note: Students will go beyond the 4.NBT standard of using numbers less than or equal to 1 million to establish a pattern within the base ten units.

T: In the last lesson we extended the place value chart to 1 million. Take a minute to label the place value headings on your place value chart.

Circulate and check all headings.

T: Excellent. Now talk with your partner about similarities and differences you see in those heading names.

S: I notice some words repeat, like ten, hundred, thousands. But, *ones* appears once. → I notice the thousand unit repeats 3 times—thousands, ten thousands, hundred thousands.



NOTES ON MULTIPLE MEANS FOR ACTION AND EXPRESSION:

Scaffold partner talk with sentence frames, such as,

“I notice ____.”

“The place value headings are alike because ____.”

“The place value headings are not alike because ____.”

“The pattern I notice is ____.”

“I notice the units ____.”

- T: That's right! Beginning with thousands, we start naming new place value units by how many one thousands, ten thousands, and hundred thousands we have. What do you think the next unit might be called after 1 million?
- S: **Ten millions.**
- T: (Extend chart to the ten millions.) And the next?
- S: **Hundred millions.**
- T: (Extend chart again.) That's right! Just like with thousands, we name new units here in terms of how many one millions, ten millions, and hundred millions we have. 10 hundred millions gets renamed as 1 billion. Talk with your partner about what the next two place value units should be.
- S: Ten billions, and hundred billions. → It works just like it does for thousands and millions!

Problem 1

Placing commas in and naming 3,608,430,325.

- T: You've noticed a pattern: ones, tens and hundreds; one thousands, ten thousands, and hundred thousands; one millions, ten millions, and hundred millions; and so on. We use commas to indicate this grouping of units, taken 3 at a time. For example ten billion would be written: 10,000,000,000.

Write 3608430325.

- T: Record this number in your place value chart and place the commas to show our groupings of units.
- T: (Show 430,325 on a place value chart.) How many thousands are in this number?
- S: 430.
- T: 430 what?
- S: 430 thousands.
- T: Correct, we read this number as "four hundred thirty thousand, three hundred twenty-five."
- T: (Extend chart and show 608,430,325.) How many millions are there in this number?
- S: 608 millions.
- T: Using what you know about our pattern in naming units, talk with your partner about how to name this number.



**NOTES ON
MULTIPLE MEANS
FOR ACTION AND
EXPRESSION:**

Scaffold reading numbers into the hundred thousands with questioning, such as:

What's the value of the 3? 30 thousand. How many thousands altogether? 36 thousands. What's the value of the 8? 80. Add the remaining ones? 89. Read the whole number. Thirty-six thousand, eighty-nine.

Continue with similar numbers until students reach fluency. Alternate student recording numbers, modeling, and reading.

Problem 2

Add to make 10 of a unit and bundling up to 1 million.

MP.2

T: What would happen if we combined 2 groups of 5 hundreds? With your partner draw number disks to solve. Use the largest unit possible to express your answer.



S: 2 groups of 5 hundreds equals 10 hundreds. → It would make 10 hundreds, which can be bundled to make 1 thousand.

T: Now, solve for 5 thousands plus 5 thousands. Bundle in order to express your answer using the largest unit possible.

S: 5 thousands plus 5 thousands equals 10 thousands. Bundle 10 thousands to make 1 ten thousand.

T: Solve for 4 ten thousands plus 6 ten thousands. Express your answer using the largest unit possible.

S: 4 ten thousands plus 6 ten thousands equals 10 ten thousands. Bundle 10 ten thousands to make 1 hundred thousand.



Continue renaming problems, showing regrouping as necessary.

- 3 hundred thousands + 7 hundred thousands
- 23 thousands + 4 ten thousands
- 43 ten thousands + 11 thousands

Problem 3

10 times as many with multiple units.

T: On your place value chart, model 5 hundreds and 3 tens with number disks. What is ten times 5 hundreds 3 tens?


S: (Students show.) 5 thousands 3 hundreds.

T: Model 5 thousands 3 hundreds with numbers on the place value chart.

S: 5,300.

T: Check your partner’s work and remind him of the comma’s role in this number.

T: With your partner solve this problem and write your answer in standard form.



Display 10 X 1 ten thousand 5 thousands 3 hundreds 2 ones = _____

S: 10 x 15,309 equals 153,090

Problem Set (10 minutes)

Students should do their personal best to complete the Problem Set within the allotted 10 minutes. For some classes, it may be appropriate to modify the assignment by specifying which problems they work on first. Some problems do not specify a method for solving. Students solve these problems using the RDW approach used for Application Problems.

Student Debrief (7 minutes)

Lesson Objective: Name numbers within 1 million by building understanding of the place value chart and placement of commas for naming base thousand units.

Invite students to review their solutions for the Problem Set and the totality of the lesson experience. They should check work by comparing answers with a partner before going over answers as a class. Look for misconceptions or misunderstandings that can be addressed in the Debrief. Guide students in a conversation to debrief the Problem Set. You may choose to use any combination of the questions below to lead the discussion.

- In Problem 1, how did you know where to place commas within a number?
- Read aloud the numbers in Problems 1(d) and 1(e) with your partner. What role do the commas have as you read across the number?
- How do place value understanding and the role of commas help you to read the value in the millions period that is represented by the number of millions, **ten millions**, and **hundred millions**?
- What did you discover as you solved Problem 3? How did part (a) help you to solve part (b)?
- How did you use the place value chart to help you compare unlike units in Problem 5?
- When might it be useful to omit commas? (Please refer to the UDL box for commas to guide your discussion.)



NOTES ON COMMAS:

Commas are optional for 4-digit numbers, as this supports visualization of the total amount of each unit. For example in the number 3247, 32 hundreds or 324 tens is easier to visualize when the number is written as 3247 as opposed to 3,247. In Grade 3 students understand 324 as 324 ones, 32 tens 4 ones or 3 hundreds 2 tens 4 ones. This flexible thinking allows for seeing simplifying short cuts. (E.g., When solving $3247 - 623$, many students decompose 3 thousands rather than subtracting 6 hundreds from 32 hundreds. They might also solve thinking, 32 hundreds – 6 hundreds + 47 ones – 23 ones is 26 hundreds and 24 ones or 2624.)

NYS COMMON CORE MATHEMATICS CURRICULUM

Name Jack Date _____

1. Rewrite the following numbers including commas where appropriate:

a. 1234 1,234 b. 12345 12,345 c. 123456 123,456

d. 1234567 1,234,567 e. 12345678901 12,345,678,901

2. Complete the following chart:

Expression	Standard Form
5 tens + 5 tens	100
3 hundreds + 7 hundreds	1,000
400 thousands + 600 thousands	1,000,000
8 thousands + 4 thousands	12,000

3. Represent each addend with number disks in the place value chart. Show the composition of larger units from 10 smaller units. Write the sum in standard form.

a. 4 thousands + 11 hundreds = 5,100

millions	hundred thousands	ten thousands	thousands	hundreds	tens	ones
			●●●●	●●●●●●		

b. 24 ten thousands + 11 thousands = 25,000

millions	hundred thousands	ten thousands	thousands	hundreds	tens	ones
		●●●●●●●●	●●●●			

COMMON CORE Lesson 3: Name numbers within one million by building understanding of the place value chart and placement of commas for naming base thousand units. Date: 4/27/13 engage^{ny} 1.A.8

© 2013 Common Core, Inc. All rights reserved. commoncore.org

Exit Ticket (3 minutes)

After the Student Debrief, instruct students to complete the Exit Ticket. A review of their work will help you assess the students' understanding of the concepts that were presented in the lesson today and plan more effectively for future lessons. You may read the questions aloud to the students.

NYS COMMON CORE MATHEMATICS CURRICULUM

4. Use the place value chart to represent the following equations with numbers or disks. Write the product in standard form.

a. $10 \times 3 \text{ thousands} = \underline{30,000}$
 How many thousands are in the answer? 30

millions	hundred thousands	ten thousands	thousands	Hundreds	Tens	ones
		•••	•••			

b. $(3 \text{ ten thousands } 2 \text{ thousands}) \times 10 = \underline{320,000}$
 How many thousands are in the answer? 320

millions	hundred thousands	ten thousands	thousands	Hundreds	tens	ones
	•••	••	••			

c. $(32 \text{ thousands } 1 \text{ hundred } 4 \text{ ones}) \times 10 = \underline{321,040}$
 How many thousands are in your answer? 321

millions	hundred thousands	ten thousands	thousands	Hundreds	tens	ones
	•••	••	••	•	•••	••

5. Lee and Gary visited South Korea. They exchanged their dollars for South Korean bills. Lee received 15 ten thousand South Korean bills. Gary received 150 thousand bills. Use disks or numbers on a place value chart to compare Lee and Gary's money.

money	thousands	hundreds	tens	ones
Lee	15	0	0	0
Gary	150	0	0	0

Lee and Gary have the same amount of money.
 15 ten thousands = 150,000
 150 thousands = 150,000

COMMON CORE Lesson 3: Name numbers within one million by building understanding of the place value chart and placement of commas for naming base thousand units.
 Date: 4/27/13

engage^{ny} 1.A.9

A

Correct _____

Multiply.

1	$1 \times 3 =$		23	$10 \times 3 =$	
2	$3 \times 1 =$		24	$9 \times 3 =$	
3	$2 \times 3 =$		25	$4 \times 3 =$	
4	$3 \times 2 =$		26	$8 \times 3 =$	
5	$3 \times 3 =$		27	$5 \times 3 =$	
6	$4 \times 3 =$		28	$7 \times 3 =$	
7	$3 \times 4 =$		29	$6 \times 3 =$	
8	$5 \times 3 =$		30	$3 \times 10 =$	
9	$3 \times 5 =$		31	$3 \times 5 =$	
10	$6 \times 3 =$		32	$3 \times 6 =$	
11	$3 \times 6 =$		33	$3 \times 1 =$	
12	$7 \times 3 =$		34	$3 \times 9 =$	
13	$3 \times 7 =$		35	$3 \times 4 =$	
14	$8 \times 3 =$		36	$3 \times 3 =$	
15	$3 \times 8 =$		37	$3 \times 2 =$	
16	$9 \times 3 =$		38	$3 \times 7 =$	
17	$3 \times 9 =$		39	$3 \times 8 =$	
18	$10 \times 3 =$		40	$11 \times 3 =$	
19	$3 \times 10 =$		41	$3 \times 11 =$	
20	$3 \times 3 =$		42	$12 \times 3 =$	
21	$1 \times 3 =$		43	$3 \times 13 =$	
22	$2 \times 3 =$		44	$13 \times 3 =$	

© Bill Davidson

B

Improvement _____

Correct _____

Multiply.

1	$3 \times 1 =$		23	$9 \times 3 =$	
2	$1 \times 3 =$		24	$3 \times 3 =$	
3	$3 \times 2 =$		25	$8 \times 3 =$	
4	$2 \times 3 =$		26	$4 \times 3 =$	
5	$3 \times 3 =$		27	$7 \times 3 =$	
6	$3 \times 4 =$		28	$5 \times 3 =$	
7	$4 \times 3 =$		29	$6 \times 3 =$	
8	$3 \times 5 =$		30	$3 \times 5 =$	
9	$5 \times 3 =$		31	$3 \times 10 =$	
10	$3 \times 6 =$		32	$3 \times 1 =$	
11	$6 \times 3 =$		33	$3 \times 6 =$	
12	$3 \times 7 =$		34	$3 \times 4 =$	
13	$7 \times 3 =$		35	$3 \times 9 =$	
14	$3 \times 8 =$		36	$3 \times 2 =$	
15	$8 \times 3 =$		37	$3 \times 7 =$	
16	$3 \times 9 =$		38	$3 \times 3 =$	
17	$9 \times 3 =$		39	$3 \times 8 =$	
18	$3 \times 10 =$		40	$11 \times 3 =$	
19	$10 \times 3 =$		41	$3 \times 11 =$	
20	$1 \times 3 =$		42	$13 \times 3 =$	
21	$10 \times 3 =$		43	$3 \times 13 =$	
22	$2 \times 3 =$		44	$12 \times 3 =$	

© Bill Davidson

Name _____

Date _____

1. Rewrite the following numbers including commas where appropriate:

a. 1234 _____ b. 12345 _____ c. 123456 _____

d. 1234567 _____ e. 12345678901 _____

2. Complete the following chart:

Expression	Standard Form
5 tens + 5 tens	
3 hundreds + 7 hundreds	
400 thousands + 600 thousands	
8 thousands + 4 thousands	

3. Represent each addend with number disks in the place value chart. Show the composition of larger units from 10 smaller units. Write the sum in standard form.

a. 4 thousands + 11 hundreds = _____

millions	hundred thousands	ten thousands	thousands	hundreds	tens	ones

b. 24 ten thousands + 11 thousands = _____

millions	hundred thousands	ten thousands	thousands	hundreds	tens	ones

4. Use the place value chart to represent the following equations with numbers or disks. Write the product in standard form.

a. $10 \times 3 \text{ thousands} =$ _____

How many thousands are in the answer? _____

millions	hundred thousands	ten thousands	thousands	hundreds	tens	ones

b. $(3 \text{ ten thousands } 2 \text{ thousands}) \times 10 =$ _____

How many thousands are in the answer? _____

millions	hundred thousands	ten thousands	thousands	hundreds	tens	ones

c. $(32 \text{ thousands } 1 \text{ hundred } 4 \text{ ones}) \times 10 =$ _____

How many thousands are in your answer? _____

millions	hundred thousands	ten thousands	thousands	hundreds	tens	ones

5. Lee and Gary visited South Korea. They exchanged their dollars for South Korean bills. Lee received 15 ten thousand South Korean bills. Gary received 150 thousand bills. Use disks or numbers on a place value chart to compare Lee and Gary’s money.



Name _____

Date _____

1. In the spaces provided, rewrite the following units as digits. Be sure to place commas where appropriate.

a. 9 thousands, 3 hundreds, 4 ones _____

b. 6 ten thousands, 2 thousands, 7 hundreds, 8 tens, 9 ones _____

c. 1 hundred thousand, 8 thousands, 9 hundreds, 5 tens, 3 ones _____

2. Use the place value chart to write 26 thousands and 13 hundreds using digits.

millions	hundred thousands	ten thousands	thousands	hundreds	tens	ones

How many thousands are in your answer? _____

Name _____

Date _____

1. Rewrite the following numbers including commas where appropriate:

a. 4321 _____

b. 54321 _____

c. 224466 _____

d. 2224466 _____

e. 10010011001 _____

2. Complete the following chart:

Expression	Unit Form (Use the largest units possible.)	Standard Form
4 tens + 6 tens		
8 hundreds + 2 hundreds		
5 thousands + 7 thousands		

3. Represent each addend with number disks in the place value chart. Show the composition of larger units from 10 smaller units. Write the sum in standard form.

a. 2 thousands + 12 hundreds = _____

millions	hundred thousands	ten thousands	thousands	hundreds	tens	ones

b. 14 ten thousands + 12 thousands = _____

millions	hundred thousands	ten thousands	thousands	hundreds	tens	ones

4. Use the place value chart to represent the following equations with numbers or disks. Write the product in standard form.

a. $10 \times 5 \text{ thousands} =$ _____

How many thousands are in the answer? _____

millions	hundred thousands	ten thousands	thousands	hundreds	tens	ones

b. $(4 \text{ ten thousands } 4 \text{ thousands}) \times 10 =$ _____

How many thousands are in the answer? _____

millions	hundred thousands	ten thousands	thousands	hundreds	tens	ones

c. $(27 \text{ thousands } 3 \text{ hundreds } 5 \text{ ones}) \times 10 =$ _____

How many thousands are in your answer? _____

millions	hundred thousands	ten thousands	thousands	hundreds	tens	ones

5. A large grocery store received an order of 2 thousand apples. A neighboring school received an order of 20 boxes of apples with 100 apples in each. Use disks or numbers on a place value chart to compare the number of apples received by the school and the number of apples received by the grocery store.