

NAME _____

DATE _____

PERIOD _____

Unit 4, Lesson 8: How Many Solutions?

Let's solve equations with different numbers of solutions.

8.1: Matching Solutions

Consider the unfinished equation $12(x - 3) + 18 = \underline{\hspace{2cm}}$. Match the following expressions with the number of solutions the equation would have with that expression on the right hand side.

- | | |
|----------------|-------------------|
| A. $6(2x - 3)$ | 1. One solution? |
| B. $4(3x - 3)$ | 2. No solutions? |
| C. $4(2x - 3)$ | 3. All solutions? |

8.2: Thinking About Solutions Some More

Your teacher will give you some cards.

1. With your partner, solve each equation.
2. Then, sort them into categories.
3. Describe the defining characteristics of those categories and be prepared to share your reasoning with the class.

8.3: Make Use of Structure

For each equation, determine whether it has no solutions, exactly one solution, or is true for all values of x (and has infinitely many solutions). If an equation has one solution, solve to find the value of x that makes the statement true.

1. a. $6x + 8 = 7x + 13$
b. $6x + 8 = 2(3x + 4)$
c. $6x + 8 = 6x + 13$

NAME

DATE

PERIOD

2. a. $\frac{1}{4}(12 - 4x) = 3 - x$

b. $x - 3 = 3 - x$

c. $x - 3 = 3 + x$

3. a. $-5x - 3x + 2 = -8x + 2$

b. $-5x - 3x - 4 = -8x + 2$

c. $-5x - 4x - 2 = -8x + 2$

4. a. $4(2x - 2) + 2 = 4(x - 2)$

b. $4x + 2(2x - 3) = 8(x - 1)$

c. $4x + 2(2x - 3) = 4(2x - 2) + 2$

5. a. $x - 3(2 - 3x) = 2(5x + 3)$

b. $x - 3(2 + 3x) = 2(5x - 3)$

c. $x - 3(2 - 3x) = 2(5x - 3)$

6. What do you notice about equations with one solution? How is this different from equations with no solutions and equations that are true for every x ?

Are you ready for more?

Consecutive numbers follow one right after the other. An example of three consecutive numbers is 17, 18, and 19. Another example is -100, -99, -98.

1. Choose any set of three consecutive numbers. Find their average. What do you notice?
2. Find the average of another set of three consecutive numbers. What do you notice?
3. Explain why the thing you noticed must always work, or find a counterexample.

NAME

DATE

PERIOD

Lesson 8 Summary

Sometimes it's possible to look at the structure of an equation and tell if it has infinitely many solutions or no solutions. For example, look at

$$2(12x + 18) + 6 = 18x + 6(x + 7).$$

Using the distributive property on the left and right sides, we get

$$24x + 36 + 6 = 18x + 6x + 42.$$

From here, collecting like terms gives us

$$24x + 42 = 24x + 42.$$

Since the left and right sides of the equation are the same, we know that this equation is true for any value of x without doing any more moves!

Similarly, we can sometimes use structure to tell if an equation has no solutions. For example, look at

$$6(6x + 5) = 12(3x + 2) + 12.$$

If we think about each move as we go, we can stop when we realize there is no solution:

$\frac{1}{6} \cdot 6(6x + 5) = \frac{1}{6} \cdot (12(3x + 2) + 12)$	Multiply each side by $\frac{1}{6}$.
$6x + 5 = 2(3x + 2) + 2$	Distribute $\frac{1}{6}$ on the right side.
$6x + 5 = 6x + 4 + 2$	Distribute 2 on the right side.

The last move makes it clear that the **constant terms** on each side, 5 and $4 + 2$, are not the same. Since adding 5 to an amount is always less than adding $4 + 2$ to that same amount, we know there are no solutions.

Doing moves to keep an equation balanced is a powerful part of solving equations, but thinking about what the structure of an equation tells us about the solutions is just as important.

NAME

DATE

PERIOD

Lesson 8 Glossary Terms

- constant term

NAME

DATE

PERIOD

Unit 4, Lesson 8: How Many Solutions?

1. Lin was looking at the equation $2x - 32 + 4(3x - 2462) = 14x$. She said, "I can tell right away there are no solutions, because on the left side, you will have $2x + 12x$ and a bunch of constants, but you have just $14x$ on the right side." Do you agree with Lin? Explain your reasoning.

2. Han was looking at the equation $6x - 4 + 2(5x + 2) = 16x$. He said, "I can tell right away there are no solutions, because on the left side, you will have $6x + 10x$ and a bunch of constants, but you have just $16x$ on the right side." Do you agree with Han? Explain your reasoning.

3. Decide whether each equation is true for all, one, or no values of x .

a. $6x - 4 = -4 + 6x$

b. $4x - 6 = 4x + 3$

c. $-2x + 4 = -3x + 4$

4. Solve each of these equations. Explain or show your reasoning.

a. $3(x - 5) = 6$

b. $2\left(x - \frac{2}{3}\right) = 0$

c. $4x - 5 = 2 - x$

NAME

DATE


PERIOD

(from Unit 4, Lesson 4)

5. The points $(-2, 0)$ and $(0, -6)$ are each on the graph of a linear equation. Is $(2, 6)$ also on the graph of this linear equation? Explain your reasoning.

(from Unit 3, Lesson 13)

6. In the picture triangle $A'B'C'$ is an image of triangle ABC after a rotation. The center of rotation is E .



- What is the length of side AB ? Explain how you know.
- What is the measure of angle D' ? Explain how you know.

(from Unit 1, Lesson 7)